
Litepers Technology Co., Ltd
www.litepers.com info@litepers.com


Product Specification


SKU:LPS-AL0608





Free cutting to demand length






PRODUCT OVERVIEWS

* Solder-free&cutting-free recessed linear light, designed for furniture, cabinet, shelf & display lighting.
* Plug- and- play solder- free connector eliminates welding work.
* Light bar can be cut per group on- site to match cabinet dimensions.
* Easy for cabinet- maker & end- user installation


PRODUCT FEATURES

- Free-soldering connection: No soldering required, fast power plug, reduce the labor cost of welding.
* Free cutting: Cut anywhere you want, reduce dark zone & material waste
* High CRI 90: Real lighting color rendering for kitchen & display application
* Low- voltage DC12/24V: Safe indoor furniture lighting
* Recessed flush mounting: Slim profile W 5.8 × H 8mm, elegant installation for cabinet/furniture lighting
* Multiple optional accessories available
* Single color & Dual-White color are available

PRODUCT PARAMETERS

Light glow options	P/N	AL0608-W	AL0608-DW
	CCT	2700K/3000//4000/6000K	3000K~6000K
	Size	W5.8*H8MM	
	Material	Aluminum +PC	
	Color	Smoke-Grey (Anodized)	
	Voltage	DC12V/DC24V	
	Power	7.5W/Meter	
	Lumen	120LM/Meter	
	CRI	90+	
	IP Rate	IP20	
	Working Temp.	-20°C ~ +40°C	
	Packing	1PC each PE Bag	

RELATIVE ACCESSORIES



Free soldering power plug
AL0608-PEC




Middle quick connector
AL0608-WM




Close end cap
AL0608-PEC

Connection Diagram





CONNECTION



Insert the free-soldering power plug to led linear light, then connector to led driver to light up


AL0608-W Lighting







Middle quick connector with cable


AL0608-DW Lighting






INSTALLATION





1. Measure and drill a slot according to lamp size&length
2. Wire cross hole: dia8mm



3. Insert the lamp to groove

